VOL. 533 JOURNAL OF CHROMATOGRAPHY NOVEMBER 30, 1990

(*Biomedical Applications, Vol. 98*)

CONTENTS

(*Abstracts/Contents Lists published in Analytical Abstracts, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Chromatography Abstracts, Clinical Chemistry Lookout, Current Contents/Life Sciences, Current Contents/Physical, Chemical & Earth Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CNRS, Pharmaceutical Abstracts, Referativnyi Zhurnal, Research Alert, Science Citation Index and Trends in Biotechnology*)

Nervonic acid *versus* tricosanoic acid as internal standards in quantitative gas chromatographic analyses of fish oil longer-chain $n-3$ polyunsaturated fatty acid methyl esters
by N. C. Shantha and R. G. Ackman (Halifax, Canada) (Received July 9th, 1990) 1

Pulsed amperometric detection of carbohydrates in lysosomal storage disease fibroblasts: a new screening technique for carbohydrate storage diseases
by H. J. Blom, H. C. Andersson, D. M. Krasnewich and W. A. Gahl (Bethesda, MD, U.S.A.) (Received July 23rd, 1990) 11

Determination of succinylcholine hydrolytic enzyme activity in human plasma
by Y. Ikarashi (Gunma, Japan), T. Hada (Hyogo, Japan) and E. L. Way and Y. Maruyama (Gunma, Japan) (Received June 18th, 1990) 23

Application of preparative high-performance liquid chromatography to the purification of a fetal ovine insulin-like growth factor II: N-terminal sequence determinations using two different carriers
by J. Straczek, M. H. Heulin, A. M. Chenut, F. Belleville and P. Nabet (Vandoeuvre, France), L. Denoroy (Vernaison, France), B. Barenton, M. Blanchard and J. Charrier (Montpellier, France), and J. Martal (Jouy-en-Josas, France) (Received July 11th, 1990) 35

Separation of serum proteins by high-performance gel-permeation column systems
by W. Flapper, A. G. M. Theeuwes, J. T. G. Kierkels, J. Steenbergen and H. J. Hoenders (Nijmegen, The Netherlands) (Received July 12th, 1990) 47

Efficient method of haemoglobin F enrichment in adult haemolysate for determination of the γ-chain isoforms by high-performance liquid chromatography
by Y. Enoki, Y. Ohga, R. Nagano and K. Matsumura (Nara, Japan) (Received July 5th, 1990) 63

Measurement of hypoxanthine and xanthine in late-gestation human amniotic fluid by reversed-phase high-performance liquid chromatography with photodiode-array detection
by D. M. Wiley, I. Szabo, M. H. Maguire, B. E. Finley and T. L. Bennett (Kansas City, KS, U.S.A.) (Received July 9th, 1990) 73

Application of capillary DNA chromatography to detect AIDS virus (HIV-1) DNA in blood
by R. G. Brownlee, F. J. Sunzeri and M. P. Busch (San Francisco, CA, U.S.A.) (Received July 25th, 1990) 87

Simultaneous screening and quantitative analysis of benzodiazepines by dual-channel gas chromatography using electron-capture and nitrogen–phosphorus detection
by P. Lillsunde and T. Seppälä (Helsinki, Finland) (Received July 9th, 1990) 97

(*Continued overleaf*)

Simultaneous assay of pentachlorophenol and its metabolite, tetrachlorohydroquinone, by gas chromatography without derivatization
by B. G. Reigner, J. F. Rigod and T. N. Tozer (San Francisco, CA, U.S.A.) (Received July 27th, 1990) 111

Liquid chromatography with amperometric detection for the determination of non-steroidal anti-inflammatory drugs in plasma
by A. G. Kazemifard and D. E. Moore (Sydney, Australia) (Received July 16th, 1990) . . 125

High-performance liquid chromatographic analysis of phosphorothioate analogues of oligodeoxynucleotides in biological fluids
by J. C. Bigelow, L. R. Chrin, L. A. Mathews and J. J. McCormack (Burlington, VT, U.S.A.) (Received July 24th, 1990) 133

Notes

Cellular fatty acids of *Bacteroides forsythus*
by I. Brondz and J. Carlsson (Umeå, Sweden) (Received June 12th, 1990) 141

Endogenous synthesis of N-methyl-1,2,3,4-tetrahydroisoquinoline, a precursor of N-methylisoquinolinium ion, in the brains of primates with parkinsonism after systemic administration of 1,2,3,4-tetrahydroisoquinoline
by T. Niwa, H. Yoshizumi, A. Tatematsu and S. Matsuura (Nagoya, Japan), M. Yoshida and M. Kawachi (Tochigi-ken, Japan) and M. Naoi and T. Nagatsu (Nagoya, Japan) (Received May 9th, 1990) 145

Fatty acid contents of the yeast and mycelial phase of *Candida albicans*
by I. Brondz (Umeå, Sweden) and I. Olsen (Oslo, Norway) (Received July 16th, 1990) . . 152

Separation and determination of prostaglandin E_1 metabolites by high-performance liquid chromatography
by W. H. Hesse (Bochum, F.R.G.), H. Schweer and H. W. Seyberth (Heidelberg, F.R.G.) and B. A. Peskar (Bochum, F.R.G.) (Received July 18th, 1990) 159

Determination of plasma catecholamines via condensation with diphenylethylenediamine: simplification of the procedure
by P. Hušek, J. Malíková and G. Herzogová (Prague, Czechoslovakia) (Received July 23rd, 1990) 166

Automated precolumn derivatization of amino acids, small peptides, brain amines and drugs with primary amino groups for reversed-phase high-performance liquid chromatography using naphthalenedialdehyde as the fluorogenic label
by H. Koning, H. Wolf, K. Venema and J. Korf (Groningen, The Netherlands) (Received July 10th, 1990) 171

High-performance liquid chromatographic separation of tachykinins using Tris–phosphate as the buffer component of the mobile phase
by K. Rissler (Denzlingen, F.R.G.) and H. Cramer (Freiburg, F.R.G.) (Received June 27th, 1990) 179

Reversed-phase high-performance liquid chromatographic method for the measurement of polyamine oxidase activity
by A. G. Halline and T. A. Brasitus (Chicago, IL, U.S.A.) (Received July 18th, 1990) . . 187

Rapid analysis of small molecules in the presence of DNA by high-performance liquid chromatography using internal surface reversed-phase silica
by T. Mohammad and H. Morrison (West Lafayette, IN, U.S.A.) (Received July 25th, 1990) 195

Serial separation of inositol phosphates including pentakis- and hexakisphosphates on small anion-exchange columns
by S. Christensen (Aarhus, Denmark) and J. Harbak (Copenhagen, Denmark) (Received July 27th, 1990) 201

Chronic myelogenous leukaemia-associated polypeptide in platelets detected by two-dimensional polyacrylamide gel electrophoresis
by E. Kajii, S. Iwamoto and S. Ikemoto (Tochigi-ken, Japan) (Received July 9th, 1990) . 207

Assay of *m*-chlorophenylpiperazine in plasma and brain of rat by capillary gas chromatography–mass spectrometry
by O. Andriollo, C. Lartigue-Mattei, J. L. Chabard, M. J. Galmier, H. Bargnoux, J. Petit and J. A. Berger (Clermont-Ferrand, France) and J. F. Pognat (Riom, France) (Received June 25th, 1990) 215

Determination of the calcium antagonist nimodipine in plasma by capillary gas chromatography and nitrogen detection
by M. T. Rosseel and M. G. Bogaert (Ghent, Belgium) and L. Huyghens (Brussels, Belgium) (Received July 4th, 1990) 224

Capillary gas chromatographic method for the simultaneous determination of local anaesthetics in plasma samples
by M. Björk, K.-J. Pettersson and G. Österlöf (Södertälje, Sweden) (Received July 17th, 1990) 229

Determination of loxtidine in human serum by capillary column gas chromatography with nitrogen–phosphorus detection
by G. Martinez (Senneville, Canada), R. W. Hart (Research Triangle Park, NC, U.S.A.), H. M. Hill (Senneville, Canada), J. R. Lang (Research Triangle Park, NC, U.S.A.) and D. Lessard and J. M. Houle (Senneville, Canada) (Received July 24th, 1990) 235

Simple high-performance liquid chromatographic method for the analysis of the non-depolarizing neuromuscular blocking drugs in clinical anaesthesia
by A. R. Bjorksten, G. H. Beemer and D. P. Crankshaw (Melbourne, Australia) (Received July 24th, 1990) 241

Triazolines. XXII. Chromatography of 1-phenyl-5-(4-pyridyl)-Δ^2-1,2,3-triazolines and related 1,2,3-triazoles, a new class of anticonsulvant agents
by P. J. Stevenson and R. Hauksdottir (London, U.K.), P. K. Kabada (Lexington, KY, U.S.A.) and L. A. Damani (London, U.K.) (Received July 30th, 1990) 248

Simple and sensitive determination of timolol in human plasma and urine by high-performance liquid chromatography with ultraviolet detection
by K. Kubota (Tokyo, Japan), H. Nakamura (Kurume City, Japan) and E. Koyama, T. Yamada, K. Kikuchi and T. Ishizaki (Tokyo, Japan) (Received July 9th, 1990) 255

High-performance liquid chromatographic assay of bromocriptine in rat plasma and brain
by D. G. Phelan, N. H. Greig, S. I. Rapoport and T. T. Soncrant (Bethesda, MD, U.S.A.) (Received July 11th, 1990) 264

High-performance liquid chromatographic determination of niflumic acid in human plasma and urine
by A. Avgerinos and S. Malamataris (Thessaloniki, Greece) (Received July 10th, 1990) . . 271

Rapid determination of xipamide in human plasma and urine by high-performance liquid chromatography
by S. Bodenan, M. Paillet and M. O. Christen (Suresnes, France) (Received June 27th, 1990) 275

(Continued overleaf)

Quantitation of didanosine in human plasma and urine by high-performance liquid chromatography
by C. A. Knupp, F. A. Stancato, E. A. Papp and R. H. Barbhaiya (Syracuse, NY, U.S.A.) (Received July 12th, 1990) 282

Sensitive method for the determination of amsulosin in human plasma using high-performance liquid chromatography with fluorescence detection
by Y. Soeishi, M. Kobori, S.-I. Kobayashi and S. Higuchi (Tokyo, Japan) (Received June 6th, 1990) 291

Letters to the Editor

Improved one-dimensional thin-layer chromatography for the separation of phospholipids in biological material
by V. Bradová, F. Šmid, J. Ledvinová and Č. Michalec (Prague, Czechoslovakia) (Received July 12th, 1990) 297

High-performance liquid chromatographic determination of diacetolol enantiomers
by M. Piquette-Miller and R. T. Foster (Edmonton, Canada) (Received June 26th, 1990) . 300

Related articles published in Journal of Chromatography, Vol. 521 304

Author Index 306

Compound Index 309